

evs

Key Features





Name FTS 30 E model version 2.0

Version Espresso

Branding NESCAFÉ®

Manufacturer Rheavendors Industries SPA

Overview:

 This is our new small footprint machine combining the benefits of having both Whole Roasted Coffee Beans as well as Soluble Coffee in one package.

This machine includes a touch screen as well as a new visible bean hopper design.

The 10' touch screen is now clubbed with a brand new user interface that unlocks new features such as cup customization (eg. Adding an additional shot of espresso, different cup sizes etc.).

An Adjustable cup stand has been introduced to accommodate different Cup heights.

This model has been upgraded with the latest firmware which builds upon the following technologies for grinding, brewing and heating in order to achieve a good in cup quality while reducing operational complexity:

- Varitherm: Using induction technology for on-demand heating, saves up to 60% energy in idle mode.
- Varigrind: Consistent grinding for better in-cup quality
- Variflex: More efficient brewing for better extraction

The machine can additionally be configured with the following options:

- 2 Cups Espresso Nozzle

- Side Hot Water Outlet

Dimensions (Footprint)

Height	64.00 cm
Depth	54.40 cm
Width	31.80 cm
Weight (Net)	29.5 Kg
Weight (Gross)	32.0 Kg

Dispense Area

Maximal height 14.1 cm
Maximal diameter Cup station open

Beverage Processing

Configurations:

Number of canisters Max 3 (including coffee beans)
Type of canisters Standard Beans Hopper
Number of mixers 1

Power Consumption (Varitherm) 3000 W
Direct Hot Water Yes
Autonomous Water Tank NA (To be evaluated best possible alternative: immersion pump KIT or service module with tank)

Water network connection Ye

Auto clean/rinse facility

Yes
Front display

Touch Screen 10.1"

Espresso Yes
Pipes color coding Yes
Adjustable cup holder Yes
Easy change labels No

Technical Interface

Voltage 230 V Frequency 50/60 Hz Plug 16A Water connection 3/8 gas 0.1-0.8 MPa Water pressure SW for NP telemetry Telemetry connection English (Printed format) Digital format Manual languages available in Italian, French, Spanish and German Other languages to specify (Additional cost is applied)

Customer Interface

Payment system NA (in case needed market can order separately: module on change giver) Parallel/EXE/MDB Supported protocol Touch screen Display Menu Languages English (Standard) Other Languages: Refer to Getting Ready document (Additional cost is applied) Number of selections Up to 48 Number of preselections Depending on configuration Selection labels Locally managed RFID Yes (Optional)

Branding

Colors and branding

NESCAFÉ® Black
Panels

Nescafé branded

Nestlé specific information

Certifications CE-CB (Or other to specify)
Packing labels Standard (Or other to specify)

* Information not available when document created. Will be added in later version

Document No.		Date:	06.2020
Ref: Table Top/FTS 30 E v.2 /Dispenser	Target:	Topic:	Commercial



Key Features




Accessories

- 2 Cups Espresso Nozzle
- Side Panel Advertisement

Standard configurations


- Configuration A0:
 - 2 instant canisters, 1 R&G, 1 mixer, and hot water.



MENU			
1	Espresso	7	Latte Macchiato
2	Long Coffee	8	Moccaccino
3	Short White Coffee	9	Chocolate
4	Long White Coffee	10	Strong Chocolate
5	Cappuccino	11	Chocomilk
6	Milk	12	Hot Water

• Configuration B0:

- 2 instant canisters, 1 R&G, 1 mixer, direct hot water and side hot water.



MENU			
1	Espresso	7	Latte Macchiato
2	Long Coffee	8	Moccaccino
3	Short White Coffee	9	Chocolate
4	Long White Coffee	10	Strong Chocolate
5	Cappuccino	11	Chocomilk
6	Milk	12	Hot Water

Default features

- Adjustable Cup Stand
- New Fusion 2 firmware
- New HMI layout (including cup customization)
- Color coding of pipes

Optional features

- Side Hot Water Outlet
- 2 Cups Espresso Nozzle

Branding options

1. NESCAFÉ® branding



* Information not available when document created. Will be added in later version

Document No.		Date:	06.2020	
Ref:	Table Top/FTS 30 E v.2 /Dispenser	Target:	Topic:	Commercial



Key Features

330 units



Dimensions

Boxed machine (1 machine & outer cartons)

 Height
 67.5 cm

 Depth
 58.4 cm

 Width
 35.1 cm

Sea freight Palletized Dimensions (1 pallet – 15 units)

 Height
 217.5 cm

 Width
 120.0 cm

 Depth
 94.0 cm

 20' (10 pallets x 15 units)
 150 units

 40' (22 pallets x 15 units)
 330 units

Airfreight Palletized Dimensions (1 pallet – 10 units)

40' High Cube (22 pallets x 15 units)

 Height
 150.0 cm

 Width
 120.0 cm

 Depth
 94.0 cm

Full Truck

28 pallets x 15 units 420 units

* Information not available when document created. Will be added in later version

Document No.		Date:	06.2020	
Ref:	Table Top/FTS 30 E v.2 /Dispenser	Target:	Topic:	Commercial