



evs

Key Features



Name	FTS 60 E - version 2.0
Version	Espresso
Branding	NESCAFÉ®
Manufacturer	Rheavendors Industries SPA

Overview:

- NESCAFÉ FTS 60 E is the updated machine model from Q2 2020. A machine with a smart new design, offering the benefits of having both Whole Roasted Coffee Beans as well as Soluble Coffee in one system.
- The 10" touch screen is now clubbed with a brand new user interface that unlocks new features such as cup customization (eg. Adding an additional shot of espresso different cup sizes etc.). An Adjustable cup stand has been introduced to accommodate different Cup heights.
- This model has been upgraded with the latest firmware which builds upon the following technologies for grinding, brewing and heating in order to achieve a good in cup quality while reducing operational complexity:
 - Varitherm: Using induction technology for on-demand heating, saves up to 60% energy in idle mode.
 - Varigrind: Consistent grinding for better in-cup quality.
 - Variflex: More efficient brewing for better extraction
- The machine can additionally be configured with the following options:
 - Double Espresso Nozzle
 - Side Hot Water Outlet
 - More Visible Hopper

Dimensions (Footprint)

Standard canisters

Height	66.8 cm
Depth	56.8 cm
Width	42.2 cm
Weight (Net)	36.4 kg
Weight (Gross)	38.8 kg

Taller canisters

Height	67.2 cm
Depth	56.8 cm
Width	42.2 cm
Weight (Net)	37.2 kg
Weight (Gross)	40.0 kg

Dispense Area

Maximal height	14.6 cm
Maximal diameter	Cup station open

Beverage Processing

Configurations	A, C, B or D
Number of canisters	4 or 5 (including coffee beans)
Type of canisters	
- Standard canisters	
- Tall canisters	
Number of mixers	2
Power Consumption (Varitherm)	3000 W
Direct Hot Water	Yes
Side separated hot water	Optional
Double espresso nozzle	Optional
Autonomous Water Tank	na (to be evaluated best possible alternative : immersion pump KIT or service module with tank)
Water network connection	Yes
Espresso	Yes
Auto clean/rinse facility	Yes
Front display	10.1"

Technical Interface

Voltage	230 V
Frequency	50/60 Hz
Plug	16 A
Water connection	3/8 gas
Water pressure	0.1 - 0.8 Mpa
Telemetry connection	SW for NP telemetry
Manual languages	English (Printed format)
	Digital format available in Italian, French, Spanish and German
	Other languages to specify (Additional cost is applied)

Customer Interface

Payment system	N/A (if needed, order separately: module on change giver)
RFID	Optional
Supported protocol	Parallel/EXE/MDB
Display	Yes, touch screen
Menu Languages	English (Standard)
	Other languages to specify (Additional cost is applied)
Number of selections	up to 48
Number of preselections	Depending on configuration
Selection labels	Locally managed

Branding

Colors and branding	
- NESCAFÉ	Black
Panels	Nestlé front panel

Nestlé specific information

Certifications	CE-CB (Or other to specify)
Packing labels	Standard (Or other to specify)
* Information not available when document created. Will be added in later version	

Document No.	Date: 12.2019
Ref: Table Top/ FTS60 E v.2 / Dispenser	Target: Topic: Commercial

This document and its contents are property of EVS and Nestlé SA and shall not be reproduced without permission.



Key Features

Accessories

- Top + unibase cabinet spacer
- Unibase cabinet shelf metal
- Base support CCS
- Immersion pump kit
- Modul \leq on - Cappuccino-R
- modul \leq on - Cups LD/LD/C80/C80
- modul \leq on - Water W/W-L or W/W-R
- modul \leq on - Change giver
- Unibase Metal Cabinet
- Recessed drip tray
- Side panel advertisement
- Back panel advertisement

Default features

- Adjustable Cup Stand
- New Fusion 2 firmware
- New HMI layout (including cup customization)
- Color coding of pipes

Optional features

- Side Hot Water Outlet
- More Visible Hopper
- Double Espresso Nozzle

NESCAFÉ® (More visible hopper version)



NESCAFÉ® (Tall canisters version)



* Information not available when document created. Will be added in later version

Document No.		Date:	12.2019
Ref:	Table Top/ FTS60 E v.2/ Dispenser	Target:	Topic: Commercial

This document and its contents are property of EVS and Nestlé SA and shall not be reproduced without permission.



evs


Key Features



Standard configurations

• Configuration A0:


- 3 instant canisters, 1 R&G, 2 mixers and hot water.



MENU			
1	Espresso	7	Mocha
2	Lungo	8	Chocolate
3	Short white coffee	9	Chocomilk
4	Cappuccino	10	Coffee
5	Milk	11	White coffee
6	Latte	12	Hot Water

• Configuration C0:


- 3 instant canisters, 1 R&G, 2 mixers, hot water and side separated hot water.



MENU			
1	Espresso	7	Mocha
2	Lungo	8	Chocolate
3	Short white coffee	9	Chocomilk
4	Cappuccino	10	Coffee
5	Milk	11	White coffee
6	Latte	12	Hot Water

• Configuration B0:


- 4 instant canisters, 1 R&G, 2 mixers and hot water.



MENU			
1	Espresso	7	Mocha
2	Lungo	8	Chocolate
3	Short white coffee	9	Chocomilk
4	Cappuccino	10	Coffee
5	Milk	11	Americano
6	Latte	12	Hot Water

• Configuration D0:

- 4 instant canisters, 1 R&G, 2 mixers, hot water and side separated hot water.



MENU			
1	Espresso	7	Mocha
2	Lungo	8	Chocolate
3	Short white coffee	9	Chocomilk
4	Cappuccino	10	Coffee
5	Milk	11	Americano
6	Latte	12	Hot Water

* Information not available when document created. Will be added in later version

Document No.	Date:	12.2019
Ref: Table Top/ FTS60 E v.2 / Dispenser	Target:	Topic: Commercial

This document and its contents are property of EVS and Nestlé SA and shall not be reproduced without permission.



Key Features

Dimensions - Standard canisters or more visible hopper versions

Boxed machine (1 machine & outer cartons)

Height	69,4 cm
Width	45.4 cm
Depth	59,4 cm

Sea freight Palletized Dimensions (1 pallet – 12 units)

Height	223.2 cm
Width	120.0 cm
Depth	94.0 cm

20' (10 pallets x 12 units)	120 units
40' (22 pallets x 12 units)	264 units
High Cube (22 pallets x 12 units)	264 units

Airfreight Palletized Dimensions (1 pallet – 8 units)

Height	153.8 cm
Width	120.0 cm
Depth	94.0 cm

Full Truck

28 pallets x 12 units	336 units
-----------------------	-----------

Dimensions - Tall canisters

Boxed machine (1 machine & outer cartons)

Height	77.9 cm
Width	45.4 cm
Depth	59.4 cm

Sea freight Palletized Dimensions (1 pallet – 8 units)

Height	170.8 cm
Width	120.0 cm
Depth	94 cm

20' (10 pallets x 8 units)	80 units
40' (22 pallets x 8 units)	176 units
High Cube (22 pallets x 8 units)	176 units

Airfreight Palletized Dimensions (1 pallet – 4 units)

Height	92.9 cm
Width	120.0 cm
Depth	94.0 cm

Full Truck

28 pallets x 8 units	224 units
----------------------	-----------

* Information not available when document created. Will be added in later version

Document No.	Date:	12.2019
Ref: Table Top/ FTS60 E v.2 / Dispenser	Target:	Topic: Commercial

This document and its contents are property of EVS and Nestlé SA and shall not be reproduced without permission.