



evs



Key Features



Name Luce X2 E

Version ESPRESSO

Manufacturer Rheavendors

Overview

Features:

- New electronics
- Switching power supply (no transformer)
- Rhea RFID system (optional)
- Espresso Stand

Dimensions

Height	183.0 cm
Depth	70.5 cm
Width	64.0 cm
Weight (empty)	170.0 Kg

Dispensing features

Number of selections	24
Number of preselections	2
Number of canisters	6 (+1 coffee beans)
Number of mixers	4
Grinders	1
Cup dispenser	yes
Stirrer dispenser	yes (89, 104 or 115)
Cold beverage facility	no
Jug Facility	no
Autonomous water facility	Optional (Separate kit)

Dispense Area

Maximal height	23.0 cm
Maximal diameter	20.0 cm

Nestlé specific information

Technical approval	yes
Available branding:	
• Upper and lower front panel	
• Drink selections buttons	

¹⁾ Some selections can be programmed with a preselection function

Connections

Electricity	230 V / 50-60 Hz
Power consumption	2800 W
Water connection	3/4" male
Water pressure	1 to 8 bar

Dispensing capacity

Canister capacity	5.4 L (Powder) / 17.0 L (Beans)
Boiler capacity	3.4 L + 0.4 L
Water reservoir capacity	N/A
Throughput	120 & +
Cup dispenser:	ø 70, 80 mm
Direct hot water outlet	Optional

Payment configuration

System facility	optional
Supported protocol	Parallel/EXE/MDB/Rhea RFID

Hygiene features

Auto clean / rinse facility	no
-----------------------------	----

Audit features

- Counters (display) - RS232
- Flash key

* Information not available when document created. Will be added in later version

Document No. A6.RVS.LUX2.0001.EN	Revision: A	Date: 09.05.16
Ref: Free Standing / Luce X2 / Dispenser	Target: Basic Handling	Topic: Commercial


This document and its contents are property of EVS and Nestlé SA and shall not be reproduced without permission.



Accessories

- ❑ Compatible payment system
 - ▷ Coin validator: parallel 12 V
 - ▷ Change givers: MDB or Exe (with optional kit)
 - ▷ Note validators MDB or Exe (with optional kit)
 - ▷ Cashless: Rhea RFID cards or MDB or Exe (with optional kit)
- ❑ Autonomy kits
 - ▷ Autonomous 20 L water tank (purchase separately)
- ❑ Other
 - ▷ Cup sensor
 - ▷ Rhea RFID cards system
 - ▷ Transformer for Executive 24 V a.c. payment system
 - ▷ Water filter / softener

Configurations



- ❑ Variflex Brewer



* Information not available when document created. Will be added in later version

Document No. A6.RVS.LUX2.0001.EN	Revision: A	Date: 09.05.16
Ref: Free Standing / Luce X2 / Dispenser	Target: Basic Handling	Topic: Commercial

This document and its contents are property of EVS and Nestlé SA and shall not be reproduced without permission.



Key Features

Gross Dimensions pallet

Height	195.0 cm
Width	73.0 cm
Depth	76.0 cm

Full Truck (13.6 m x 2.44 m x 2.5 m (CH))

Pallets x units	51 unit
-----------------	---------

Sea Shipments (1 Unit - 1 pallet)

20' (pallets x units)	21 units
40' High Cube (pallets x units)	45 units

Air Shipments (1 unit - 1 pallet)

Height	198.0 cm
Width	85.0 cm
Depth	96.0 cm

* Information not available when document created. Will be added in later version

Document No. A6.RVS.LUX2.0001.EN	Revision: A	Date: 09.05.16
Ref: Free Standing / Luce X2 / Dispenser	Target: Basic Handling	Topic: Commercial

This document and its contents are property of EVS and Nestlé SA and shall not be reproduced without permission.